



PT2

Payment Terminal

- ✓ Account Card Authorisation
- ✓ Credit Card Authorisation
- ✓ Mobile App Authorisation



Compac Payment Terminals are built to last and are ideal for any Unattended or Retail Refuelling Site:



Marine



Commercial



Mining



Aviation



Retail

Compac Payment Terminals offer great versatility in their functionality. All payment terminals have the ability to connect to:

- ✓ Compac's **Payment App** for pump authorisation
- ✓ **CompacOnline** for fuel management
- ✓ Compac's **Automatic Vehicle Recognition** system

Compac's **PT2 Payment Terminal** features also include:

- ✓ Online Account Card authorisation
- ✓ Credit Card authorisation
- ✓ Paywave option - suitable for small fills of less than \$100




Easy to use and built from Stainless Steel, Compac Payment Terminals are robust and are designed to withstand the harshest conditions.

PT2 Payment Terminal Specifications

Model	PT2
Installation	IMPORTANT NOTE: The Compac PT2 Payment Terminal is NOT approved for installation in a Hazardous Area. It must be installed OUTSIDE the Hazardous Area
Display	1024 Graphical LCD Display, 40mm x 75mm
Pinpad	Storm pinpad
Card Reader	Outdoor, unattended, Magtek Card Reader especially designed for the fuel industry
Printer	Thermal printer specifically designed for outdoor unattended use with presenter designed to prevent jamming. Paper roll dimension 80mm wide x 295mm long
Authorisation	Mobile Payment App All major Credit Cards with optional Paywave reader - suitable for fills of less than \$100 Account Cards with offline functionality Prepay Card Support
Power Supply	200 - 240V, 3.4 amps (12V and 24V DC versions also available) UPS, battery backed, enables customers to get receipts in event of power failure Provides power and surge protection
Supported Fuel Pumps	Compac, Gallagher, Gilbarco, Wayne
Communications	3G / 4G / 5G or Ethernet
Operating Temperature	-25°C to 55°C with internal thermostat environmental control for optimal low temperature operation
Tank Gauging Interface	Colibri, Fafnir, Veeder-Root with 4-20ma probe (max 2)
Construction	Stainless Steel
Mounting Options	Wall, tank or pedestal
Compliance	Windcave Approvals: <ul style="list-style-type: none"> • APCA approval for PIN entry via the CECS with AS2805 / ISO8583 certification • EMV level1, 2 compliant for both Contact and Contactless payment types • PCI-PTS 5.x NMI Approvals

PT2 Payment Terminal Dimensions



Base Footprint



Compac Industries Ltd
52 Walls Road, Penrose
Auckland 1061
New Zealand
PO Box 12 417, Penrose
Auckland 1642
New Zealand
Tel: +64 9 579 2094
Fax: +64 9 579 0635

Compac Sales Pty Ltd
32 Boundary St
South Melbourne, VIC 3205
Australia
PO Box 312
Port Melbourne, VIC 3207
Australia
Tel: +61 3 8696 4888
Fax: +61 3 8696 4817

Compac Industries India Ltd
K 73 Udyog Nagar
Main Rohtak Road
Delhi - 110041
India
Tel: +91 11 4141 1229
Mobile: +91 85888 78287